SUBJECT AND DRUG INDEXES TO ADVERSE DRUG REACTION BULLETIN

Nos. 146–151 February 1991–December 1991

SUBJECT INDEX

abdominal cramps 554
  pain 554, 558
abortion 554, 565
acetabular necrosis 564
acid rebound 552
acidosis 568
acne 569
ADH secretion, inappropriate 567
adrenal stimulation 561
adverse drug reactions, paradoxical 563–566
agranulocytosis 553
alkalosis 552
alopecia 567
amenorrhoea 567
amoebiasis 565
anaemia, haemolytic 569
anaphylactoid reactions 563
angina pectoris 549
anxiety 564
arrhythmias 549, 557, 560, 561
arterial disease 561
arteriolopathy 568
arteriovenous oxygen changes 561
arthralgia 564
arthritis, septic 565
asthma 550
avascular necrosis 564
azoöspermia 567

birth-weight reduction 561
bladder contracture 567
  fibrosis 567
bleeding, intermenstrual 554
  subarachnoid 561
blood pressure effects 560, 561
bradycardia 553, 561
bronchial cancer 562
bronchitis 562
bronchospasm 550, 563
brucellosis 554
buccal cancer 562

cancer 569
  bronchial 562
  buccal 562
carcinogenesis 565
carcinoid tumour 554
cardiac arrest 557, 570
  arrhythmias 549, 557, 560, 561
  output increase 560
  toxicity 567
cardiovascular collapse 561
  effects of nicotine 560–561
catecholamine release 561
chest pain 570
chills 570
chorea 570
claudication 561
CNS stimulation 557, 558
colitis, pseudomembranous 565
confusion 550, 553
conjunctivitis 558
constipation 552, 557, 558
contact dermatitis 563
convulsions 550
coronary artery disease 561
coronary blood flow increase 560–561
cough 568
cystitis, haemorrhagic 567

death, sudden 557, 561
delusions 557
dementia, 'dialysis' 552
depression 550–551, 557, 558
dermatitis, contact 563
diabetes mellitus 549, 552
diarrhoea 552, 554, 558, 565, 568
dizziness 557, 558
dreams 558
drowsiness 558
drug dependence 562
drug interactions
  with antacids 552
  with cimetidine 554
  with nicotine 562
duodeno-gastric reflux 562
dyskinesia 564
dyspepsia 554
dyspnoea 570

encephalopathy 553
endocarditis 565
enterocolitis, staphylococcal 565
epidermal dysplasia 569
epilepsy 550, 564
euphoria 558
extrapyramidal disorders 553

facial wrinkling 562
faecal discolouration 553

hypolipidaemia 570
hypomagnesaemia 569
hypotension 553, 561

immunosuppressants, adverse effects 567–570
impotence 553
infections 554, 562, 565, 566, 569, 570
insomnia 557, 558, 564
intermenstrual bleeding 554
intestinal obstruction 559
irritability 557, 564

lactate increase 561
leucopenia 567, 568
leukaemia 565, 567
lipoprotein changes 561
liver damage 553–554, 567, 568, 569
lupus erythematosus 565
lymphoma 569

malabsorption 553
malaria 566
meningitis, aseptic 570
menopause, early 562
menorrhagia 554
milk–alkali syndrome 552
mucositis 568
muscle blood flow increase 560
  tremor 559
  weakness 553
myelosuppression 567, 568
myocardial contractility changes 561
  infarction 561

nail pigmentation 567
nasal airway obstruction 565
  congestion 565
natural deterioration or drug-induced? 548–551
nausea 554, 557, 558, 567, 570
necrosis, acetabular 564
  avascular 564
neonatal death 561
nephritis 553
nervousness 557
neuropsychiatric disorders 553
neutropenia 553
nicotine adverse effects 560–563
  acute toxicity 560
  replacement therapy 560
  withdrawal syndrome 562
nightmares 564

oesophageal obstruction 559
osteodystrophy 552
osteomalacia 552
osteomyelitis 565
overactivity 564

pain, abdominal 554, 558
  testicular 557–558
palpitations 557
pancytopenia 553
paradoxical adverse drug reactions 563–566
paranoia 557
parotitis 565
peptic ulcer, aggravation 561
peripheral artery disease 561
phaeochromocytoma 564
pigmentation, nail 567
  skin 567
platelet aggregation 561
pneumonia 565
pneumonitis 568
polyuria 558
pregnancy complications 554, 561
pseudomembranous colitis 565
psychoses 557
pulmonary fibrosis 567
  hypertension 558
  oedema 570

rashes 567
renal damage 568, 570
  dysfunction 553
  impairment 552
rhabdomyolysis 553

sarcoma 569
schizophrenia 557
seizures 564, 569
septicaemia 565
skin pigmentation 567
  rashes 567
  temperature 560
SLE 565
sodium retention 555, 568
staphylococcal entercolitis 565
stillbirth 561
stomatitis 567, 568
stroke 561
subarachnoid haemorrhage 561
sweating 561
systemic sclerosis 558

tachycardia 557, 560, 561
tension 557
testicular pain 557–558
thrombocytopenia 553, 567, 568
thrombocytopenia/thrombosis syndrome 564
thromboembolic disease 561, 564, 569
thrombosis/thrombocytopenia syndrome 564
tiredness 558
tongue discoloration 553
tooth discolouration 553
tremor 559, 570

ulcer healing drugs, adverse effects 552–555
urate excretion and gout 550
uterine vascular changes 561

vaginal bleeding 554
vasoconstriction 560
ventricular fibrillation 557
vertigo 557, 558
vomiting 557, 558, 567, 570

water retention 553
weight-reducing drugs, adverse effects 556–559
wheezing 570
wound healing, delayed 562

xerostomia 557, 558

DRUG INDEX

A capital initial letter indicates a proprietary name, chemical name, or abbreviation

acebutolol 564
ACTH 548, 549
adrenal corticosteroids 548, 549, 550, 563, 564, 569
β-adrenoceptor agonists 559
blockers 549, 550, 552, 554, 562
alcohol 549
alginate 552
alkylating agents 567
allopurinol 549
aluminium hydroxide 552
amiloride 550
Aminorex 558
amitriptyline 550
amoxycillin 565
amphetamines 556
ampicillin 565
analgesic narcotics 550
anorectics 556–559
antacids 552
antiarrhythmic drugs 549, 550
antibacterials 565
anticancer drugs 565
anticholinergics 550
anticonvulsants 554, 564
antidepressants 550, 554
antiepileptic drugs 550
antigout agents 549–550
antihistamines 563
antihypertensives 564
antimalarials 565
antimetabolites 567–568
antimicrobials 565
antimigraine drugs 549, 566
antiparkinsonian drugs 550, 564
appetite suppressants 556–559
aspirin 550
atropine 550
azathioprine 568

barbiturates 550, 564
benzhexol 550
benzodiazepines 550, 554, 564
benztropine 550
betamethasone 549
bismuth salts 553
bronchodilators 563
bulk-forming agents 558–559
bumetanide 549, 550

calcium carbonate 552
calcium channel blocking drugs 549
carbenoxolone 548, 553
cephalosporins 565
chlorambucil 565, 567
chloroquine 552
chlorpromazine 550
chlorthalidone 549, 550
cimetidine 550, 552, 553, 554
ciprofloxacin 552
clindamycin 565
clonazepam 564
contraceptives, oral 549, 551
corticosteroids, adrenal 548, 549, 550, 563, 564, 569
corticotrophins 548, 549
cyclophosphamide 565, 567
cycloserine 550
cyclosporin A 568–569

dapsone/pyrimethamine 565
De-Nol 553
desferrioxamine 566
dexamethasone 549
dexamphetamine 557, 558
dexfenfluramine 556, 558
diazepam 554
diethylpropion 556, 557, 558
digitalis glycosides 548–549, 550
digoxin 552
diuretics 549, 550

ergotamine 549, 566
ethacrynic acid 549, 550
ethosuximide 564

famotidine 553
fenfluramine 556, 558
ferrous sulphate 552
FK506 570
frusemide 549, 550

glucomannan 558–559
guanethidine 564

heparin 564
histamine H_2-receptor blockers 550, 553, 562
hydralazine 564
hydrocortisone 549
hypnotics 564

ifosfamide 567
imipramine 550
immunosuppressants 567–570
indapamide 549, 550
indomethacin 548
iron 565–566
  chelates 566
  dextran 566
isoniazid 550, 552

labetalol 549, 564
levodopa 550, 564
licorice 548
lignocaine 554
lincomycin 565

magnesium hydroxide 552
  trisilicate 548, 552
MAO inhibitors 550
mazindol 556, 557
mefruside 549
melphelan 565
mercaptopurine 568
methotrexate 568
methylcellulose 558–559
methyldopa 550, 564
metolazone 549, 550
misoprostol 554

nasal decongestants 549, 565
nalidixic acid 550
narcotic analgesics 550
nicotine 560–563
  aerosols 560
  gum 560
  skin patches 560
  snuff 560
nicotine-free cigarettes 560
nifedipine 549
nizatidine 553
NSAID 548, 550, 552, 562, 564, 565

oestrogens 548
OKT3 569–570
omeprazole 548
opiates 565
oral contraceptives 549, 551
oxyphenbutazone 548, 565

phenothiazines 550
phentermine 556, 557, 558
phenylbutazone 548, 564, 565
phenytoin 552, 554, 564
probenecid 549
procainamide 554
prochlorperazine 550
progestogens 548
promazine 550
propranolol 550, 564
pyrazinamide 550
pyrimethamine/dapsone 565
Pyrogastrone 553

quinethazone 550
quinidine 552

ranitidine 550, 553, 554
reserpine 550

salicylates 550
sedatives 564
selegeline 564
'Skoal bandits' 562
snuff, oral 562
sodium bicarbonate 552
sodium-retaining drugs 548
sotalol 564
sterculia 558–559
sucralfate 553
sulfinpyrazone 550
sympathomimetics 549

tartrazine dyes 550
testosterone 548
tetracosactrin 548, 549
tetracyclics 552
tetracycline 565
theophylline 554
thiazides 549, 550
thiotepa 565
thyroxine 559
treosulphan 565
triamterene 550
tricyclic antidepressants 550, 554
tripotassium dicitratobismuthate 553

uricosurics 549

warfarin 554